

Project:

/ 02.RD.FD.0104

Revision:

00

Project data

Plan No. : 02.RD.FD.0104

All Revisions

Rebar List according to EN ISO 3776 2003

The bar length is calculated on the basis of the outer contour.

B A R S C H E D U L E Steelgrade: IC_B500B

Pos.	No.	d	Length	D14	D16
1	21	16	9.00		189.00
2	464	14	12.00	5568.00	
3	36	14	10.77	387.72	
4	7	14	10.41	72.87	
5	8	14	10.11	80.88	
6	82	14	9.33*	765.06	
7	17	14	9.17*	155.89	
8	6	14	8.85	53.10	
9	30	14	8.40*	252.00	
10	3	14	7.34*	22.02	
11	8	14	6.75*	54.00	
12	12	14	6.67	80.04	
13	18	14	6.63*	119.34	
14	8	14	6.57	52.56	
15	18	14	6.00	108.00	
16	22	14	5.82*	128.04	
17	21	14	5.66*	118.86	
18	23	14	5.51*	126.73	
19	32	14	4.94*	158.08	
20	13	14	4.70	61.10	
21	73	14	4.59	335.07	
22	13	14	4.52	58.76	
23	3	14	4.40	13.20	
24	11	14	4.35	47.85	
25	14	14	4.30*	60.20	
26	14	14	4.24*	59.36	
27	6	14	4.20	25.20	
28	63	14	4.10*	258.30	
29	13	14	3.89*	50.57	
30	59	14	3.62	213.58	
31	8	14	3.61*	28.88	
32	8	14	3.56*	28.48	
33	6	14	3.39*	20.34	
34	7	14	3.22*	22.54	
35	29	14	2.95	85.55	
36	12	14	2.64*	31.68	
37	25	14	2.55*	63.75	
38	3	14	2.35	7.05	
39	7	14	2.05*	14.35	
40	27	14	2.02*	54.54	
41	9	14	2.00	18.00	
43	67	14	1.10	73.70	

* = in average

Total lengths	9935.24	189.00
kg / m	D14 1.210	D16 1.580
kg / d	12021.641	298.620
Total weight (kg)	12320.261	

Project:

/ 02.RD.FD.0104

B A R S C H E D U L E Steelgrade: IC_B500B
Pos. No. d Length D14 D16

Project data

Plan No. : 02.RD.FD.0104

All Revisions

Rebar List according to EN ISO 3776 2003

The bar length is calculated on the basis of the outer contour.

B A R S C H E D U L E Steelgrade: IC_B500B with additions

Pos.	No.	d	Length	Verb	D14
42	58	14	1.10	G	63.80
44	9	14	0.74	G *	6.66

* = in average

Total lengths 70.46
kg / m D14 1.210
kg / d 85.257

Total weight (kg) 85.257

P A R T S L I S T Connecting elements

Pos.	No.	Type	Text	Material	Ordernumber
42	58	G_14	Welded	Manufacturer	
44	9	G_14	Welded	Manufacturer	

G = Thread

Project:

/ 02.RD.FD.0104

Project data

Plan No. : 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B

Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
1	16	9.00	21	189.00	4	00		9.00						
								<div><div></div><div>9.00</div></div> <div>Comment: zg.</div>						
2	14	12.00	464	5568.00	4	00		12.00						
								<div><div></div><div>12.00</div></div> <div>Comment: zg.</div>						
3	14	10.77	36	387.72	4	00		10.77						
								<div><div></div><div>10.77</div></div> <div>Comment: zg.</div>						
4	14	10.41	7	72.87	4	00		10.41						
								<div><div></div><div>10.41</div></div> <div>Comment: zg.</div>						
5	14	10.11	8	80.88	4	00		10.11						
								<div><div></div><div>10.11</div></div> <div>Comment: zg.</div>						
6	14	--	82	765.06	4	00		12.00						
								<div><div></div><div>-a-</div></div> <div>Pos. No. Length -a-</div> <div>1 12.00 12.00</div> <div>2 11.93 11.93</div> <div>3 11.87 11.87</div> <div>4 11.80 11.80</div> <div>5 11.73 11.73</div> <div>6 11.67 11.67</div> <div>7 11.60 11.60</div> <div>8 11.54 11.54</div> <div>9 11.47 11.47</div> <div>10 11.41 11.41</div> <div>11 11.34 11.34</div> <div>12 11.27 11.27</div> <div>13 11.21 11.21</div> <div>14 11.14 11.14</div> <div>15 11.08 11.08</div> <div>16 11.01 11.01</div> <div>17 10.94 10.94</div> <div>18 10.88 10.88</div> <div>19 10.81 10.81</div> <div>20 10.75 10.75</div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B																					
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions													
								a	b	c	d	e	R	h							
6								Pos. No.Length -a-													
								21	1	10.68	10.68										
								22	1	10.62	10.62										
								23	1	10.55	10.55										
								24	1	10.48	10.48										
								25	1	10.42	10.42										
								26	1	10.35	10.35										
								27	1	10.29	10.29										
								28	1	10.22	10.22										
								29	1	10.15	10.15										
								30	1	10.09	10.09										
								31	1	10.02	10.02										
								32	1	9.96	9.96										
								33	1	9.89	9.89										
								34	1	9.83	9.83										
								35	1	9.76	9.76										
								36	1	9.69	9.69										
								37	1	9.63	9.63										
								38	1	9.56	9.56										
								39	1	9.50	9.50										
								40	1	9.43	9.43										
								41	1	9.36	9.36										
								42	1	9.30	9.30										
								43	1	9.23	9.23										
								44	1	9.17	9.17										
								45	1	9.10	9.10										
								46	1	9.03	9.03										
								47	1	8.97	8.97										
								48	1	8.90	8.90										
								49	1	8.84	8.84										
								50	1	8.77	8.77										
								51	1	8.71	8.71										
								52	1	8.64	8.64										
								53	1	8.57	8.57										
								54	1	8.51	8.51										
								55	1	8.44	8.44										
								56	1	8.38	8.38										
								57	1	8.31	8.31										
								58	1	8.24	8.24										
								59	1	8.18	8.18										
								60	1	8.11	8.11										
								61	1	8.05	8.05										
								62	1	7.98	7.98										
								63	1	7.92	7.92										
								64	1	7.85	7.85										
								65	1	7.78	7.78										
								66	1	7.72	7.72										
								67	1	7.65	7.65										
								68	1	7.59	7.59										
								69	1	7.52	7.52										
								70	1	7.45	7.45										
								71	1	7.39	7.39										
								72	1	7.32	7.32										
								73	1	7.26	7.26										
								74	1	7.19	7.19										
								75	1	7.13	7.13										
								76	1	7.06	7.06										
								77	1	6.99	6.99										
								78	1	6.93	6.93										
								79	1	6.86	6.86										
								80	1	6.80	6.80										
								81	1	6.73	6.73										
								82	1	6.66	6.66										
								Comment:													
								zg.													
								7	14	--	17	155.89	4	00		6.59					

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B

Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
7								Pos.No.Length -a-						
								1	1	6.59	6.59			
								2	1	6.92	6.92			
								3	1	7.24	7.24			
								4	1	7.56	7.56			
								5	1	7.88	7.88			
								6	1	8.20	8.20			
								7	1	8.53	8.53			
								8	1	8.85	8.85			
								9	1	9.17	9.17			
								10	1	9.49	9.49			
								11	1	9.81	9.81			
								12	1	10.14	10.14			
								13	1	10.46	10.46			
								14	1	10.78	10.78			
								15	1	11.10	11.10			
								16	1	11.42	11.42			
								17	1	11.75	11.75			
8	14	8.85	6	53.10	4	00		8.85						
								<div>8.85</div> <div>Comment: zg.</div>						
9	14	--	30	252.00	4	00		3.51						
								<div>-a-</div> <div>Pos.No.Length -a-</div>						
								1	1	3.51	3.51			
								2	1	3.85	3.85			
								3	1	4.18	4.18			
								4	1	4.52	4.52			
								5	1	4.86	4.86			
								6	1	5.19	5.19			
								7	1	5.53	5.53			
								8	1	5.87	5.87			
								9	1	6.21	6.21			
								10	1	6.54	6.54			
								11	1	6.88	6.88			
								12	1	7.22	7.22			
								13	1	7.56	7.56			
								14	1	7.89	7.89			
								15	1	8.23	8.23			
								16	1	8.57	8.57			
								17	1	8.90	8.90			
								18	1	9.24	9.24			
								19	1	9.58	9.58			
								20	1	9.92	9.92			
								21	1	10.25	10.25			
								22	1	10.59	10.59			
								23	1	10.93	10.93			
								24	1	11.27	11.27			
								25	1	11.60	11.60			
								26	1	11.94	11.94			
								27	1	12.28	12.28			
								28	1	12.62	12.62			
								29	1	12.95	12.95			
								30	1	13.29	13.29			
								<div>Comment: zg.</div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
10	14	--	3	22.02	4	00		7.74						
								<div><div></div><div>-a-</div><div>Pos. No.Length -a-</div><div>1 1 7.74 7.74</div><div>2 1 7.34 7.34</div><div>3 1 6.93 6.93</div><div>Comment:</div><div>zg.</div></div>						
11	14	--	8	54.00	4	00		6.96						
								<div><div></div><div>-a-</div><div>Pos. No.Length -a-</div><div>1 1 6.96 6.96</div><div>2 1 6.90 6.90</div><div>3 1 6.84 6.84</div><div>4 1 6.78 6.78</div><div>5 1 6.72 6.72</div><div>6 1 6.66 6.66</div><div>7 1 6.60 6.60</div><div>8 1 6.54 6.54</div><div>Comment:</div><div>zg.</div></div>						
12	14	6.67	12	80.04	4	00		6.67						
								<div><div></div><div>6.67</div><div>Comment:</div><div>zg.</div></div>						
13	14	--	18	119.34	4	00		9.31						
								<div><div></div><div>-a-</div><div>Pos. No.Length -a-</div><div>1 1 9.31 9.31</div><div>2 1 8.99 8.99</div><div>3 1 8.68 8.68</div><div>4 1 8.36 8.36</div><div>5 1 8.05 8.05</div><div>6 1 7.73 7.73</div><div>7 1 7.42 7.42</div><div>8 1 7.10 7.10</div><div>9 1 6.79 6.79</div><div>10 1 6.47 6.47</div><div>11 1 6.16 6.16</div><div>12 1 5.84 5.84</div><div>13 1 5.53 5.53</div><div>14 1 5.21 5.21</div><div>15 1 4.90 4.90</div><div>16 1 4.58 4.58</div><div>17 1 4.27 4.27</div><div>18 1 3.95 3.95</div><div>Comment:</div><div>zg.</div></div>						
14	14	6.57	8	52.56	4	00		6.57						
								<div><div></div><div>6.57</div><div>Comment:</div><div>zg.</div></div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar-mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End-hook	Bending dimensions						
								a	b	c	d	e	R	h
15	14	6.00	18	108.00	4	00		6.00						
								<div><div></div><div>6.00</div></div>						
								Comment: zg.						
16	14	--	22	128.04	4	00		9.99						
								<div><div></div><div>-a-</div></div>						
								Pos. No.Length -a- 1 1 9.99 9.99 2 1 9.60 9.60 3 1 9.20 9.20 4 1 8.80 8.80 5 1 8.40 8.40 6 1 8.00 8.00 7 1 7.61 7.61 8 1 7.21 7.21 9 1 6.81 6.81 10 1 6.41 6.41 11 1 6.01 6.01 12 1 5.62 5.62 13 1 5.22 5.22 14 1 4.82 4.82 15 1 4.42 4.42 16 1 4.02 4.02 17 1 3.63 3.63 18 1 3.23 3.23 19 1 2.83 2.83 20 1 2.43 2.43 21 1 2.03 2.03 22 1 1.64 1.64 Comment: zg.						
17	14	--	21	118.86	4	00		9.68						
								<div><div></div><div>-a-</div></div>						
								Pos. No.Length -a- 1 1 9.68 9.68 2 1 9.28 9.28 3 1 8.88 8.88 4 1 8.47 8.47 5 1 8.07 8.07 6 1 7.67 7.67 7 1 7.27 7.27 8 1 6.86 6.86 9 1 6.46 6.46 10 1 6.06 6.06 11 1 5.66 5.66 12 1 5.25 5.25 13 1 4.85 4.85 14 1 4.45 4.45 15 1 4.05 4.05 16 1 3.64 3.64 17 1 3.24 3.24 18 1 2.84 2.84 19 1 2.43 2.43 20 1 2.03 2.03 21 1 1.63 1.63 Comment: zg.						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B																						
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions														
								a	b	c	d	e	R	h								
18	14	--	23	126.73	4	00		6.55														
								<div><div></div><div>-a-</div><div>Pos. No. Length -a-</div><div>1 1 6.55 6.55</div><div>2 1 6.46 6.46</div><div>3 1 6.36 6.36</div><div>4 1 6.27 6.27</div><div>5 1 6.17 6.17</div><div>6 1 6.08 6.08</div><div>7 1 5.98 5.98</div><div>8 1 5.89 5.89</div><div>9 1 5.79 5.79</div><div>10 1 5.70 5.70</div><div>11 1 5.60 5.60</div><div>12 1 5.51 5.51</div><div>13 1 5.41 5.41</div><div>14 1 5.32 5.32</div><div>15 1 5.22 5.22</div><div>16 1 5.13 5.13</div><div>17 1 5.03 5.03</div><div>18 1 4.94 4.94</div><div>19 1 4.84 4.84</div><div>20 1 4.75 4.75</div><div>21 1 4.65 4.65</div><div>22 1 4.56 4.56</div><div>23 1 4.46 4.46</div></div> <div>Comment: zg.</div>														
								19	14	--	32	158.08	4	00		5.96						
																<div><div></div><div>-a-</div><div>Pos. No. Length -a-</div><div>1 1 5.96 5.96</div><div>2 1 5.89 5.89</div><div>3 1 5.83 5.83</div><div>4 1 5.76 5.76</div><div>5 1 5.70 5.70</div><div>6 1 5.63 5.63</div><div>7 1 5.56 5.56</div><div>8 1 5.50 5.50</div><div>9 1 5.43 5.43</div><div>10 1 5.37 5.37</div><div>11 1 5.30 5.30</div><div>12 1 5.23 5.23</div><div>13 1 5.17 5.17</div><div>14 1 5.10 5.10</div><div>15 1 5.04 5.04</div><div>16 1 4.97 4.97</div><div>17 1 4.90 4.90</div><div>18 1 4.84 4.84</div><div>19 1 4.77 4.77</div><div>20 1 4.71 4.71</div><div>21 1 4.64 4.64</div><div>22 1 4.57 4.57</div><div>23 1 4.51 4.51</div><div>24 1 4.44 4.44</div><div>25 1 4.38 4.38</div><div>26 1 4.31 4.31</div><div>27 1 4.25 4.25</div><div>28 1 4.18 4.18</div><div>29 1 4.11 4.11</div><div>30 1 4.05 4.05</div><div>31 1 3.98 3.98</div><div>32 1 3.92 3.92</div></div> <div>Comment: zg.</div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar-mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End-hook	Bending dimensions						
								a	b	c	d	e	R	h
20	14	4.70	13	61.10	4	00		4.70						
								<div><div></div><div>4.70</div></div> <div>Comment: zg.</div>						
21	14	4.59	73	335.07	4	00		4.59						
								<div><div></div><div>4.59</div></div> <div>Comment: zg.</div>						
22	14	4.52	13	58.76	4	41		0.50	0.31	2.90	0.31	0.50		
								<div><div><div>50</div><div>50</div></div><div>2.90</div></div> <div>Comment: zg.</div>						
23	14	4.40	3	13.20	4	00		4.40						
								<div><div></div><div>4.40</div></div> <div>Comment: zg.</div>						
24	14	4.35	11	47.85	4	00		4.35						
								<div><div></div><div>4.35</div></div> <div>Comment: zg.</div>						
25	14	--	14	60.20	4	00		2.20						
								<div><div></div><div>-a-</div><div>Pos. No. Length -a-</div><div>1 1 2.20 2.20</div><div>2 1 2.52 2.52</div><div>3 1 2.85 2.85</div><div>4 1 3.17 3.17</div><div>5 1 3.49 3.49</div><div>6 1 3.82 3.82</div><div>7 1 4.14 4.14</div><div>8 1 4.46 4.46</div><div>9 1 4.79 4.79</div><div>10 1 5.11 5.11</div><div>11 1 5.43 5.43</div><div>12 1 5.76 5.76</div><div>13 1 6.08 6.08</div><div>14 1 6.40 6.40</div></div> <div>Comment: zg.</div>						
26	14	--	14	59.36	4	00		3.60						
								<div><div></div><div>-a-</div></div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B															
Bar-mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End-hook	Bending dimensions							
								a	b	c	d	e	R	h	
26								Pos. No.Length -a-							
								1	1	3.60	3.60				
								2	1	3.70	3.70				
								3	1	3.80	3.80				
								4	1	3.89	3.89				
								5	1	3.99	3.99				
								6	1	4.09	4.09				
								7	1	4.19	4.19				
								8	1	4.29	4.29				
								9	1	4.39	4.39				
								10	1	4.49	4.49				
								11	1	4.59	4.59				
								12	1	4.69	4.69				
								13	1	4.78	4.78				
								14	1	4.88	4.88				
								Comment:							zg.
27	14	4.20	6	25.20	4	00		4.20							
								<div>4.20</div>							
								Comment:							
zg.															
28	14	--	63	258.30	4	00		3.17							
								<div>-a-</div>							
								Pos. No.Length -a-							
								1	1	3.17	3.17				
								2	1	3.20	3.20				
								3	1	3.23	3.23				
								4	1	3.26	3.26				
								5	1	3.29	3.29				
								6	1	3.32	3.32				
								7	1	3.35	3.35				
								8	1	3.38	3.38				
								9	1	3.41	3.41				
								10	1	3.44	3.44				
								11	1	3.47	3.47				
								12	1	3.50	3.50				
								13	1	3.53	3.53				
								14	1	3.56	3.56				
								15	1	3.59	3.59				
								16	1	3.62	3.62				
								17	1	3.65	3.65				
								18	1	3.68	3.68				
								19	1	3.71	3.71				
								20	1	3.74	3.74				
								21	1	3.77	3.77				
								22	1	3.80	3.80				
								23	1	3.83	3.83				
								24	1	3.86	3.86				
								25	1	3.89	3.89				
								26	1	3.92	3.92				
								27	1	3.95	3.95				
								28	1	3.98	3.98				
								29	1	4.01	4.01				
								30	1	4.04	4.04				
								31	1	4.07	4.07				
								32	1	4.10	4.10				
								33	1	4.13	4.13				
								34	1	4.16	4.16				
								35	1	4.19	4.19				
								36	1	4.22	4.22				
								37	1	4.25	4.25				

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
28								Pos. No.Length -a- 38 1 4.28 4.28 39 1 4.31 4.31 40 1 4.34 4.34 41 1 4.37 4.37 42 1 4.39 4.39 43 1 4.42 4.42 44 1 4.45 4.45 45 1 4.48 4.48 46 1 4.51 4.51 47 1 4.54 4.54 48 1 4.57 4.57 49 1 4.60 4.60 50 1 4.63 4.63 51 1 4.66 4.66 52 1 4.69 4.69 53 1 4.72 4.72 54 1 4.75 4.75 55 1 4.78 4.78 56 1 4.81 4.81 57 1 4.84 4.84 58 1 4.87 4.87 59 1 4.90 4.90 60 1 4.93 4.93 61 1 4.96 4.96 62 1 4.99 4.99 63 1 5.02 5.02 Comment: zg.						
29	14	--	13	50.57	4	00		1.85						
								<div><div></div><div>-a-</div><div>Pos. No.Length -a-</div><div>1 1 1.85 1.85</div><div>2 1 2.19 2.19</div><div>3 1 2.53 2.53</div><div>4 1 2.87 2.87</div><div>5 1 3.21 3.21</div><div>6 1 3.55 3.55</div><div>7 1 3.89 3.89</div><div>8 1 4.22 4.22</div><div>9 1 4.56 4.56</div><div>10 1 4.90 4.90</div><div>11 1 5.24 5.24</div><div>12 1 5.58 5.58</div><div>13 1 5.92 5.92</div><div>Comment: zg.</div></div>						
30	14	3.62	59	213.58	4	41		0.50	0.31	2.00	0.31	0.50		
								<div><div><div>50</div><div>50</div><div>31</div><div>31</div><div>2.00</div></div><div>Comment: zg.</div></div>						
31	14	--	8	28.88	4	41		0.50	0.31	1.30	0.31	0.50		
								<div><div><div>50</div><div>50</div><div>31</div><div>31</div><div>- c -</div></div></div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
31								Pos. No.Length -c- 1 1 2.92 1.30 2 1 3.12 1.50 3 1 3.32 1.70 4 1 3.51 1.89 5 1 3.71 2.09 6 1 3.91 2.29 7 1 4.11 2.49 8 1 4.30 2.68 Comment: zg.						
32	14	--	8	28.48	4	00		2.48						
								<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a- 1 1 2.48 2.48 2 1 2.79 2.79 3 1 3.10 3.10 4 1 3.41 3.41 5 1 3.71 3.71 6 1 4.02 4.02 7 1 4.33 4.33 8 1 4.64 4.64</div> <div>Comment: zg.</div>						
33	14	--	6	20.34	4	00		4.25						
								<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a- 1 1 4.25 4.25 2 1 3.91 3.91 3 1 3.56 3.56 4 1 3.21 3.21 5 1 2.87 2.87 6 1 2.52 2.52</div> <div>Comment: zg.</div>						
34	14	--	7	22.54	4	00		4.38						
								<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a- 1 1 4.38 4.38 2 1 3.99 3.99 3 1 3.61 3.61 4 1 3.22 3.22 5 1 2.83 2.83 6 1 2.45 2.45 7 1 2.06 2.06</div> <div>Comment: zg.</div>						
35	14	2.95	29	85.55	4	00		2.95						
								<div>-----</div> <div>2.95</div> <div>Comment: zg.</div>						

Project:

/ 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B																														
Bar-mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End-hook	Bending dimensions																						
								a	b	c	d	e	R	h																
36	14	--	12	31.68	4	00		3.00																						
								<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a-</div> <div>1 1 3.00 3.00</div> <div>2 1 2.94 2.94</div> <div>3 1 2.87 2.87</div> <div>4 1 2.81 2.81</div> <div>5 1 2.74 2.74</div> <div>6 1 2.67 2.67</div> <div>7 1 2.61 2.61</div> <div>8 1 2.54 2.54</div> <div>9 1 2.48 2.48</div> <div>10 1 2.41 2.41</div> <div>11 1 2.34 2.34</div> <div>12 1 2.28 2.28</div> <div>Comment: zg.</div>																						
								37	14	--	25	63.75	4	00		1.52														
																<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a-</div> <div>1 1 1.52 1.52</div> <div>2 1 1.60 1.60</div> <div>3 1 1.69 1.69</div> <div>4 1 1.77 1.77</div> <div>5 1 1.86 1.86</div> <div>6 1 1.94 1.94</div> <div>7 1 2.03 2.03</div> <div>8 1 2.12 2.12</div> <div>9 1 2.20 2.20</div> <div>10 1 2.29 2.29</div> <div>11 1 2.37 2.37</div> <div>12 1 2.46 2.46</div> <div>13 1 2.55 2.55</div> <div>14 1 2.63 2.63</div> <div>15 1 2.72 2.72</div> <div>16 1 2.80 2.80</div> <div>17 1 2.89 2.89</div> <div>18 1 2.97 2.97</div> <div>19 1 3.06 3.06</div> <div>20 1 3.15 3.15</div> <div>21 1 3.23 3.23</div> <div>22 1 3.32 3.32</div> <div>23 1 3.40 3.40</div> <div>24 1 3.49 3.49</div> <div>25 1 3.58 3.58</div> <div>Comment: zg.</div>														
																38	14	2.35	3	7.05	4	00		2.35						
																								<div>-----</div> <div>2.35</div> <div>Comment: zg.</div>						
																								39	14	--	7	14.35	4	00
																<div>-----</div> <div>-a-</div> <div>1 1 1.78 1.78</div>														

Project:

/ 02.RD.FD.0104



B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B														
Bar- mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End- hook	Bending dimensions						
								a	b	c	d	e	R	h
39								Pos. No.Length -a- 2 1 1.87 1.87 3 1 1.96 1.96 4 1 2.05 2.05 5 1 2.13 2.13 6 1 2.22 2.22 7 1 2.31 2.31 Comment: zg.						
40	14	--	27	54.54	4	00		3.23						
								<div>-----</div> <div>-a-</div> <div>Pos. No.Length -a-</div> 1 1 3.23 3.23 2 1 3.13 3.13 3 1 3.04 3.04 4 1 2.95 2.95 5 1 2.85 2.85 6 1 2.76 2.76 7 1 2.67 2.67 8 1 2.58 2.58 9 1 2.48 2.48 10 1 2.39 2.39 11 1 2.30 2.30 12 1 2.20 2.20 13 1 2.11 2.11 14 1 2.02 2.02 15 1 1.93 1.93 16 1 1.83 1.83 17 1 1.74 1.74 18 1 1.65 1.65 19 1 1.55 1.55 20 1 1.46 1.46 21 1 1.37 1.37 22 1 1.28 1.28 23 1 1.18 1.18 24 1 1.09 1.09 25 1 1.00 1.00 26 1 0.90 0.90 27 1 0.81 0.81 Comment: zg.						
41	14	2.00	9	18.00	4	00		2.00						
								<div>-----</div> <div>2.00</div>						
43	14	1.10	67	73.70	4	00		1.10						
								<div>-----</div> <div>1.10</div>						

Project:

/ 02.RD.FD.0104

Project data

Plan No. : 02.RD.FD.0104

B A R B E N D I N G S C H E D U L E Steelgrade: IC_B500B with additions														
Bar-mark	d	Bar length	Total nr.	Total length	d Bend	Shape code	End-hook	Bending dimensions						
								a	b	c	d	e	R	h
42	14	1.10	58	63.80	4	00		1.10						
														
								Partlengths incl. Connecting elements Begin: G_14 Welded Manufacturer;						
44	14	--	9	6.66	4	00		1.10						
														
								Partlengths incl. Connecting elements Begin: G_14 Welded Manufacturer; Pos.No.Length -a- 1 1 1.10 1.10 2 1 1.01 1.01 3 1 0.92 0.92 4 1 0.83 0.83 5 1 0.74 0.74 6 1 0.65 0.65 7 1 0.57 0.57 8 1 0.48 0.48 9 1 0.39 0.39						